



eSupplement

Keto gums as dietary supplements

Market analysis and potential in the context of the ketogenic diet

Marc Assmann¹, Janina Dapprich¹, Isabel Albrecht, Tobias Fischer

References

1. Newman JC, Verdin E: β -hydroxybutyrate: much more than a metabolite. *Diabetes Res Clin Pract* 2014; 106(2): 173–81.
2. Bier DM, Brosnan JT, Flatt JP, et al.: Report of the IDECG Working Group on lower and upper limits of carbohydrate and fat intake. *International Dietary Energy Consultative Group. Eur J Clin Nutr* 1999; 53 Suppl 1: S177–8.
3. Fischer T: Ketogene Ernährung als Trenddiät: Teil 1: Definition, Einsatz zur Gewichtsreduktion und bei verschiedenen Krankheiten. *Ernährungs Umschau* 2022; 69(9): S65–72.
4. Deutsche Gesellschaft für Ernährung e. V.: Referenzwert Kohlenhydrate. www.dge.de/wissenschaft/referenzwerte/kohlenhydrate/ (last accessed on 13 August 2024).
5. Deutsche Gesellschaft für Ernährung e. V.: Referenzwert Fett, essenzielle Fettsäuren. www.dge.de/wissenschaft/referenzwerte/fett-essenzielle-fettsauren/ (last accessed on 28 September 2024).
6. Och U, Fischer T, Marquardt Thorsten: Ketogene Diät – eine Herausforderung für Patienten und Fachkräfte. *Ernährungs Umschau* 2017; 63(8): M444–58.
7. Höhn S, Dozières-Puyravel B, Auvin S: History of dietary treatment: Guelpa & Marie first report of intermittent fasting for epilepsy in 1911. *Epilepsy Behav* 2019; 94: 277–80.
8. Höhn S, Dozières-Puyravel B, Auvin S: History of dietary treatment from Wilder's hypothesis to the first open studies in the 1920s. *Epilepsy Behav* 2019; 101(Pt A): 106588.
9. Dhillon KK, Gupta S: *StatPearls: Biochemistry, Ketogenesis*. Treasure Island (FL) 2024.
10. Ashtary-Larky D, Bagheri R, Bavi H, et al.: Ketogenic diets, physical activity and body composition: a review. *Br J Nutr* 2022; 127(12): 1898–920.
11. Amini MR, Aminianfar A, Naghshi S, Larijani B, Esmailzadeh A: The effect of ketogenic diet on body composition and anthropometric measures: a systematic review and meta-analysis of randomized controlled trials. *Crit Rev Food Sci Nutr* 2022; 62(13): 3644–57.
12. Cao J, Lei S, Wang X, Cheng S: The effect of a ketogenic low-carbohydrate, high-fat diet on aerobic capacity and exercise performance in endurance athletes: a systematic review and meta-analysis. *Nutrients* 2021; 13(8).
13. Wang Y, Zhou K, Wang V, Bao D, Zhou J: The effects of concurrent training combined with low-carbohydrate high-fat ketogenic diet on body composition and aerobic performance: a systematic review and meta-analysis. *Int J Environ Res Public Health* 2022; 19(18).
14. Li S, Du Y, Meireles C, et al.: Adherence to ketogenic diet in lifestyle interventions in adults with overweight or obesity and type 2 diabetes: a scoping review. *Nutr Diabetes* 2023; 13(1): 16.
15. Lopes Neri LdC, Guglielmetti M, Fiorini S, et al.: Adherence to ketogenic dietary therapies in epilepsy: A systematic review of literature. *Nutr Res* 2024; 126: 67–87.
16. Fischer T, Marquardt T: Dietary supplements based on the ketone body β -hydroxybutyrate Market analysis and evaluation of ingredients of supplements used in the USA. *Ernährungs Umschau* 2018; 64(12): 204–12.
17. Turck D, Bohn T, Castenmiller J, et al.: Safety of β -hydroxybutyrate salts as a novel food pursuant to Regulation (EU) 2015/2283. *EFSA J* 2022; 20(10): e07449.
18. Verbraucherzentrale Hessen: Gummibonbons können kein Fett vernichten. www.verbraucherzentrale-hessen.de/lebensmittel/schlankheitsmittel-und-diaeten/gummibonbons-koennen-kein-fett-vernichten-82187 (last accessed on 21 August 2024).
19. Bundesinstitut für Risikobewertung: Health Claims. www.bfr.bund.de/de/health_claims-9196.html (last accessed on 21 August 2024).
20. Amtsblatt der Europäischen Union: VERORDNUNG (EU) Nr. 1169/2011 DES EUROPÄISCHEN PARLAMENTES UND DES RATES vom 25. Oktober 2011 betreffend die Information der Verbraucher über Lebensmittel und zur Änderung der Verordnungen (EG) Nr. 1924/2006 und (EG) Nr. 1925/2006 des Europäischen Parlaments und des Rates und zur Aufhebung der Richtlinie 87/250/EWG der Kommission, der Richtlinie 90/496/EWG des Rates, der Richtlinie 1999/10/EG der Kommission, der Richtlinie 2000/13/EG des Europäischen Parlaments und des Rates, der Richtlinien 2002/67/EG und 2008/5/EG der Kommission und der Verordnung (EG) Nr. 608/2004 der Kommission 2018.
21. ecommerceDB.com: Umsatzstärkste Online-Shops in Deutschland im Jahr 2023 (in Millionen Euro). <https://de.statista.com/prognosen/646009/top-online-shops-deutschland-ecommedb> (last accessed on 21 August 2024).
22. Bund für Lebensmittelrecht und Lebensmittelkunde e.V.: Richtlinie für Zuckerwaren. www.lebensmittelverband.de/de/medien/publikation/richtlinie-zucker-waren (last accessed on 21 August 2024).
23. Statista: Umsatz der führenden Drogeriemarktketten in Deutschland im Jahr 2023 (in Milliarden Euro). <https://de.statista.com/statistik/daten/studie/158206/umfrage/prognostizierter-umsatz-der-top-5-drogeriemarkte-2010/> (last accessed on 21 August 2024).

¹ geteilte Erstautor*innenschaft



24. Amazon: Kundenbewertungen und -rezensionen verstehen. www.amazon.de/gp/help/customer/display.html?nodeId=G8UIYX7LALQC8V9KA (last accessed on 30 January 2025).
25. Amtsblatt der Europäischen Union: VERORDNUNG (EG) NR. 1924/2006 DES EUROPÄISCHEN PARLAMENTS UND DES RATES vom 20. Dezember 2006 über nährwert- und gesundheitsbezogene Angaben über Lebensmittel 2006.
26. Deutsche Gesellschaft für Ernährung e. V.: Referenzwerte. www.dge.de/wissenschaft/referenzwerte/ (last accessed on 21 August 2024).
27. European Food Safety Authority: Overview on Tolerable Upper Intake Levels as derived by the Scientific Committee on Food (SCF) and the EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). www.efsa.europa.eu/sites/default/files/2024-05/ul-summary-report.pdf (last accessed on 21 August 2024).
28. Bundesinstitut für Risikobewertung: Aktualisierte Höchstmengenvorschläge für Vitamine und Mineralstoffe in Nahrungsergänzungsmitteln und angereicherten Lebensmitteln: Stellungnahme Nr. 006/2024 des BfR vom 22. Februar 2024: Bundesbehörden und Einrichtungen im Geschäftsbereich des Bundesministeriums für Ernährung und Landwirtschaft (BMEL) 2024.
29. Amtsblatt der Europäischen Union: VERORDNUNG (EU) Nr. 432/2012 DER KOMMISSION vom 16. Mai 2012 zur Festlegung einer Liste zulässiger anderer gesundheitsbezogener Angaben über Lebensmittel als Angaben über die Reduzierung eines Krankheitsrisikos sowie die Entwicklung und die Gesundheit von Kindern 2024.
30. Directorate-General for Health and Food Safety: Food and Feed Information Portal Database: Characteristics - Entry ID: 1411, Nutrient substance food or food category: Very low calorie diet (VLCD) Programme. <https://ec.europa.eu/food/food-feed-portal/screen/health-claims/eu-register/details/POL-HC-8059> (last accessed on 6 February 2025).
31. Rützler H: Food Report 2024. 1st ed. Frankfurt am Main: Zukunftsinstitut 2023.
32. Bahr L, Bellmann-Strobl J, Michalsen A: Die ketogene Diät – was sie kann, wie sie wirkt und wie sie gelingt. *Zeitschrift für Komplementärmedizin* 2018; 10(02): 22–9.
33. Msomi NZ, Erukainure OL, Islam MS: Suitability of sugar alcohols as antidiabetic supplements: A review. *J Food Drug Anal* 2021; 29(1): 1–14.
34. Foster-Powell K, Holt SHA, Brand-Miller JC: International table of glycemic index and glycemic load values: 2002. *Am J Clin Nutr* 2002; 76(1): 5–56.
35. Iizuka K: Is the use of artificial sweeteners beneficial for patients with diabetes mellitus? The advantages and disadvantages of artificial sweeteners. *Nutrients* 2022; 14(21): 4446.
36. Gesellschaft für Neuropädiatrie e. V. (GNP): S1-Leitlinie Ketogene Diäten. https://register.awmf.org/assets/guidelines/022-0211_S1_Ketogene_Diaeten_2022-02.pdf (last accessed on 28 August 2024).
37. Suez J, Cohen Y, Valdés-Mas R, et al.: Personalized microbiome-driven effects of non-nutritive sweeteners on human glucose tolerance. *Cell* 2022; 185(18): 3307–28.e19.
38. Suez J, Korem T, Zeevi D, et al.: Artificial sweeteners induce glucose intolerance by altering the gut microbiota. *Nature* 2014; 514(7521): 181–6.
39. Courchesne-Loyer A, Lowry C-M, St-Pierre V, et al.: Emulsification increases the acute ketogenic effect and bioavailability of medium-chain triglycerides in humans: protein, carbohydrate, and fat metabolism. *Curr Dev Nutr* 2017; 1(7): e000851.
40. Vandenberghe C, St-Pierre V, Fortier M, Castellano C-A, Cuenoud B, Cunnane SC: Medium chain triglycerides modulate the ketogenic effect of a metabolic switch. *Front Nutr* 2020; 7: 3.
41. Institut für Ernährungsinformation: Kokosfett. www.ernaehrung.de/lebensmittel/de/Q550000/Kokosfett.php (last accessed on 2 October 2024).
42. St-Pierre V, Vandenberghe C, Lowry C-M, et al.: Plasma ketone and medium chain fatty acid response in humans consuming different medium chain triglycerides during a metabolic study day. *Front Nutr* 2019; 6: 46.
43. Frenser M, Fischer T, Albrecht I, Marquardt T: Influence of carbohydrate intake on caprylic acid (C8:0)-induced ketogenesis – a systematic review and meta-analysis. *Nutrients* 2024; 16(15): 2456.
44. Li X, Wei T, Wu M, et al.: Potential metabolic activities of raspberry ketone. *J Food Biochem* 2022; 46(1): e14018.
45. Rao S, Kurakula M, Mamidipalli N, Tiyyagura P, Patel B, Manne R: Pharmacological exploration of phenolic compound: raspberry ketone-update 2020. *Plants (Basel)* 2021; 10(7): 1323.
46. Lee J: Further research on the biological activities and the safety of raspberry ketone is needed. *NFS Journal* 2016; 2: 15–8.
47. Ansari SA, Patel F, Ashouri D, Dhaliwal JSS, Desai A: Resistant polymorphic ventricular tachycardia in a patient taking raspberry ketones weight loss supplement. *Cureus* 2022; 14(12): e33089.
48. Directorate-General for Health and Food Safety: Notification 2024.7154: Novel food raspberry ketone, BHB calcium, BHB sodium and BHB magnesium in food supplement from UK. <https://webgate.ec.europa.eu/rasff-window/screen/notification/712265> (last accessed on 5 February 2025).
49. Plecko B, Stoeckler-Ipsiroglu S, Schober E, et al.: Oral beta-hydroxybutyrate supplementation in two patients with hyperinsulinemic hypoglycemia: monitoring of beta-hydroxybutyrate levels in blood and cerebrospinal fluid, and in the brain by in vivo magnetic resonance spectroscopy. *Pediatr Res* 2002; 52(2): 301–6.
50. O'Malley T, Myette-Cote E, Durrer C, Little JP: Nutritional ketone salts increase fat oxidation but impair high-intensity exercise performance in healthy adult males. *Appl Physiol Nutr Metab* 2017; 42(10): 1031–5.
51. Stubbs BJ, Cox PJ, Evans RD, et al.: On the metabolism of exogenous ketones in humans. *Front Physiol* 2017; 8: 848.
52. Directorate-General for Health and Food Safety: Food and Feed Information Portal Database: Health Claims. <https://ec.europa.eu/food/food-feed-portal/screen/health-claims/eu-register> (last accessed on 5 February 2025).
53. Viribay A, Burgos J, Fernández-Landa J, Seco-Calvo J, Mielgo-Ayuso J: Effects of arginine supplementation on athletic performance based on energy metabolism: a systematic review and meta-analysis. *Nutrients* 2020; 12(5): 1300.
54. Porto AA, Gonzaga LA, Benjamim CJR, Valenti VE: Absence of effects of L-arginine and L-citrulline on inflammatory biomarkers and oxidative stress in response to physical exercise: A systematic review with meta-analysis. *Nutrients* 2023; 15(8): 1995.
55. Stone M, Ibarra A, Roller M, Zangara A, Stevenson E: A pilot investigation into the effect of maca supplementation on physical activity and sexual desire in sportsmen. *J Ethnopharmacol* 2009; 126(3): 574–6.
56. Lee E, Park M, Kim B, Kang S: Effect of black maca supplementation on inflammatory markers and physical fitness in male elite athletes. *Nutrients* 2023; 15(7): 1618.



57. Hosseiniabadi S, Rafraf M, Asghari S, Asghari-Jafarabadi M, Vojouhi S: Effect of green coffee extract supplementation on serum adiponectin concentration and lipid profile in patients with non-alcoholic fatty liver disease: a randomized, controlled trial. *Complement Ther Med* 2020; 49: 102290.
58. Martínez-López S, Sarriá B, Mateos R, Bravo-Clemente L: Moderate consumption of a soluble green/roasted coffee rich in caffeoylquinic acids reduces cardiovascular risk markers: results from a randomized, cross-over, controlled trial in healthy and hypercholesterolemic subjects. *Eur J Nutr* 2019; 58(2): 865–78.
59. Roshan H, Nikpayam O, Sedaghat M, Sohrab G: Effects of green coffee extract supplementation on anthropometric indices, glycaemic control, blood pressure, lipid profile, insulin resistance and appetite in patients with the metabolic syndrome: a randomised clinical trial. *Br J Nutr* 2018; 119(3): 250–8.
60. Penna EM, Harp A, Hack B, Talik TN, Millard-Stafford M: Guarana (*Paullinia cupana*) but not low-dose caffeine improves cycling time-trial performance versus placebo. *Int J Sport Nutr Exerc Metab* 2024; 34(1): 30–7.
61. Kaczka P, Maciejczyk M, Batra A, Tabęcka-Łonczyńska A, Strzała M: Acute effect of caffeine-based multi-ingredient supplement on reactive agility and jump height in recreational handball players. *Nutrients* 2022; 14(8): 1569.
62. Willems MET, Şahin MA, Cook MD: Matcha green tea drinks enhance fat oxidation during brisk walking in females. *Int J Sport Nutr Exerc Metab* 2018; 28(5): 536–41.
63. Shigeta M, Aoi W, Morita C, et al.: Matcha green tea beverage moderates fatigue and supports resistance training-induced adaptation. *Nutr J* 2023; 22(1): 32.
64. Verbraucherzentrale: Gar nicht so harmlos: Grüntee-Extrakt. www.klar-text-nahrungsergaenzung.de/wissen/lebensmittel/nahrungsergaenzungsmittel/gar-nicht-so-harmlos-gruenteextrakt-80386 (last accessed on 2 October 2024).
65. Younes M, Aggett P, Aguilar F, et al.: Scientific opinion on the safety of green tea catechins. *EFSA J* 2018; 16(4): e05239.
66. Ebrahimzadeh Attari V, Ostadrahimi A, Asghari Jafarabadi M, Mehrizadeh S, Mahluji S: Changes of serum adipocytokines and body weight following *Zingiber officinale* supplementation in obese women: a RCT. *Eur J Nutr* 2016; 55(6): 2129–36.
67. Ebrahimzadeh Attari V, Malek Mahdavi A, et al.: A systematic review of the anti-obesity and weight lowering effect of ginger (*Zingiber officinale* Roscoe) and its mechanisms of action. *Phytother Res* 2018; 32(4): 577–85.
68. Rust P: Low Carb – Trend oder optimale Ernährung? *Ernährung & Medizin* 2018; 33(02): 64–8.
69. Abou-Khalil R, Andary J, El-Hayek E: Apple cider vinegar for weight management in Lebanese adolescents and young adults with overweight and obesity: a randomised, double-blind, placebo-controlled study. *BMJ Nutr Prev Health* 2024; 7(1): 61–7.
70. Mitrou P, Petsiou E, Papakonstantinou E, et al.: Vinegar consumption increases insulin-stimulated glucose uptake by the forearm muscle in humans with type 2 diabetes. *J Diabetes Res* 2015; 2015: 175204.
71. Khezri SS, Saidpour A, Hosseinzadeh N, Amiri Z: Beneficial effects of apple cider vinegar on weight management, visceral adiposity index and lipid profile in overweight or obese subjects receiving restricted calorie diet: a randomized clinical trial. *J Funct Foods* 2018; 43: 95–102.
72. Ostman E, Granfeldt Y, Persson L, Björck I: Vinegar supplementation lowers glucose and insulin responses and increases satiety after a bread meal in healthy subjects. *Eur J Clin Nutr* 2005; 59(9): 983–8.
73. Almenara CA, Aimé A, Mañano C: Vinegar and weight loss in women of eighteenth-century France: a lesson from the past. *Hist Psychiatry* 2020; 31(2): 232–6.
74. Verbraucherzentrale: Nahrungsergänzungsmittel mit (Apfel-)Essig: Wirkung nicht bewiesen. www.verbraucherzentrale.de/wissen/lebensmittel/nahrungsergaenzungsmittel/nahrungsergaenzungsmittel-mit-apfelessig-wirkung-nicht-bewiesen-8550 (last accessed on 11 February 2025).