

Enterale Ernährung (Trink- und Sondennahrung) in der Geriatrie und geriatrisch-neurologischen Rehabilitation

Leitlinie Enterale Ernährung der DGEM und DGG

Dorothee Volkert, Romana Lenzen-Großimlinghaus, Ute Kryś, Matthias Pirlich, Brigitte Herbst, Tatjana Schütz, Wolfrid Schröer, Wolfram Weinrebe, Johann Ockenga, Herbert Lochs

Ernährungs-Umschau 51 (2004), S. 446 ff.

Literatur

1. Bundesministerium für Familie, Senioren, Frauen und Jugend: Erster Altenbericht der Bundesregierung über die Lebenssituation älterer Menschen in Deutschland. Bonn: 1993.
2. Runge M, Rehfeld G: Geriatrische Rehabilitation im Therapeutischen Team. Stuttgart, New York: Thieme, 1995.
3. Lochs H: Leitlinie Enterale Ernährung. *Aktuell Ernähr Med* 2003; 28 Suppl 1: S1-S120.
4. Lorenz W: Das Leitlinien-Manual von AWMF und ÄZQ, Entwicklung und Implementierung von Leitlinien in der Medizin. *ZaeFQ* 2001; 95 Suppl 1: 1-84.
5. Milne AC, Potter J, Avenell A: Protein and energy supplementation in elderly people at risk from malnutrition. *Cochrane Database Syst Rev* 2002; CD003288.
6. Volkert D, Hübsch S, Oster P, Schlierf G: Nutritional support and functional status in undernourished geriatric patients during hospitalization and 6-month follow-up. *Aging Clin Exp Res* 1996; 8: 386-395.
7. Payette H, Boutier V, Coulombe C, Gray-Donald K: Benefits of nutritional supplementation in free-living, frail, undernourished elderly people: a prospective randomized community trial. *J Am Diet Assoc* 2002; 102: 108810-95.
8. Lawson RM, Doshi MK, Ingoe LE, Colligan JM, Barton JR, Cobden I: Compliance of orthopaedic patients with postoperative oral nutritional supplementation. *Clin Nutr* 2000; 19: 171-175.
9. Roebathan BV, Chandra RK: Relationship between nutritional status and immune function of elderly people. *Age Ageing* 1994; 23: 49-53.
10. Williams CM, Driver LT, Older J, Dickerson JW: A controlled trial of sip-feed supplements in elderly orthopaedic patients. *Eur J Clin Nutr* 1989; 43: 267-274.
11. Gray-Donald K, Payette H, Boutier V: Randomized clinical trial of nutritional supplementation shows little effect on functional status among free-living frail elderly. *J Nutr* 1995; 125: 2965-2971.
12. Larsson J, Unosson M, Ek A-C, Nilsson L, Thorslund S, Bjurulf P: Effects of dietary supplement on nutritional status and clinical outcome in 501 geriatric patients - a randomized study. *Clin Nutr* 1990; 9: 179-184.
13. Norton B, Homer-Ward M, Donnelly MT, Long RG, Holmes GK: A randomised prospective comparison of percutaneous endoscopic gastrostomy and nasogastric tube feeding after acute dysphagic stroke. *Br Med J* 1996; 312: 13-16.
14. Park RH, Allison MC, Lang J et al.: Randomised comparison of percutaneous endoscopic gastrostomy and nasogastric tube feeding in patients with persisting neurological dysphagia. *Br Med J* 1992; 304: 1406-1409.
15. Bastow MD, Rawlings J, Allison SP: Benefits of supplementary tube feeding after fractured neck of femur: a randomised controlled trial. *Br Med J* 1983; 287: 1589-1592.
16. Hartgrink HH, Wille J, König P, Hermans J, Breslau PJ: Pressure sores and tube feeding in patients with a fracture of the hip: a randomized clinical trial. *Clin Nutr* 1998; 17: 287-292.
17. Sullivan DH, Nelson CL, Bopp MM, Puskarich-May CL, Walls RC: Nightly enteral nutrition support of elderly hip fracture patients: a phase I trial. *J Am Coll Nutr* 1998; 17: 155-161.
18. Norregaard O, Tottrup A, Saaek A, Hessov I: Effects of oral supplements to adults with chronic obstructive pulmonary disease (abstract). *Clin Resp Physiol* 1987; 23: 388s.
19. Jensen MB, Hessov I: Dietary supplementation at home improves the regain of lean body mass after surgery. *Nutrition* 1997; 13: 422-430.
20. Bos C, Benamouzig R, Bruhat A et al.: Nutritional status after short-term dietary supplementation in hospitalized malnourished geriatric patients. *Clin Nutr* 2001; 20: 225-233.
21. Hübsch S, Volkert D, Oster P, Schlierf G: Möglichkeiten und Grenzen der Anwendung flüssiger Nährstoffkonzentrate in der Therapie der Mangelernährung geriatrischer Patienten. *Aktuell Ernähr Med* 1994; 19: 109-114.
22. Fiatarone Singh MA, Bernstein MA, Ryan AD, O'Neill EF, Clements KM, Evans WJ: The effect of oral nutritional supplements on habitual dietary quality and quantity in frail elders. *J Nutr Health Aging* 2000; 4: 5-12.
23. Meredith CN, Frontera WR, O'Reilly KP, Evans WJ: Body composition in elderly men: Effect of dietary modification during strength training. *J Am Geriatr Soc* 1992; 40: 155-162.
24. Wouters-Wesseling W, Van Hooijdonk C, Wagenaar L, Bindels J, de Groot L, van Staveren W: The effect of a liquid nutrition supplement on body composition and physical functioning in elderly people. *Clin Nutr* 2003; 22: 371-377.
25. Bourdel-Marchasson I, Joseph PA, Dehail P et al.: Functional and metabolic early changes in calf muscle occurring during nutritional repletion in malnourished elderly patients. *Am J Clin Nutr* 2001; 73: 832-838.
26. Callahan CM, Haag KM, Weinberger M et al.: Outcomes of percutaneous endoscopic gastrostomy among older adults in a community setting. *J Am Geriatr Soc* 2000; 48: 1048-1054.
27. Ciocon JO, Silverstone FA, Graver LM, Foley CJ: Tube feedings in elderly patients. Indications, benefits, and complications. *Arch Intern Med* 1988; 148: 429-433.
28. Nair S, Hertan H, Pitchumoni CS: Hypoalbuminemia is a poor predictor of survival after percutaneous endoscopic gastrostomy in elderly patients with dementia. *Am J Gastroenterol* 2000; 95: 133-136.
29. Okada K, Yamagami H, Sawada S et al.: The nutritional status of elderly bed-ridden patients receiving tube feeding. *J Nutritional Sci Vitaminol* 2001; 47: 236-241.
30. Paillaud E, Bories PN, Merlier I, Richardet JP, Jeanfaivre V, Campillo B: Prognosis factors of short and long-term survival in elderly hospitalized patients after percutaneous endoscopic gastrostomy. *Gastroenterol Clin Biol* 2002; 26: 443-447.
31. Abitbol V, Selinger-Leneman H, Gallais Y et al.: Percutaneous endoscopic gastrostomy in elderly patients. A prospective study in a geriatric hospital. *Gastroenterol Clin Biol* 2002; 26: 448-453.
32. Kaw M, Sekas G: Long-term follow-up of consequences of percutaneous endoscopic gastrostomy (PEG) tubes in nursing home patients. *Dig Dis Sci* 1994; 39: 738-743.
33. Panos MZ, Reilly H, Moran A et al.: Percutaneous endoscopic gastrostomy in a general hospital: prospective evaluation of indications, outcome, and randomised comparison of two tube designs. *Gut* 1994; 35: 1551-1556.
34. Sitzmann JV: Nutritional support of the dysphagic patient: methods, risks, and complications of therapy. *J Parent Ent Nutr* 1990; 14: 60-63.

35. Hébuterne X, Schneider S, Peroux J-L, Rampal P: Effects of refeeding by cyclic enteral nutrition on body composition: comparative study of elderly and younger patients. *Clin Nutr* 1997; 16: 283-289.
36. Shizgal HM, Martin MF, Gimmon Z: The effect of age on the caloric requirement of malnourished individuals. *Am J Clin Nutr* 1992; 55: 783-789.
37. Fiatarone MA, O'Neill EF, Doyle N, Clements KM, Roberts SB, et al.: The Boston FISCIT Study: The effects of resistance training and nutritional supplementation on physical frailty in the oldest old. *J Am Geriatr Soc* 1993; 41: 333-337.
38. Fay DE, Poplasky M, Gruber M, Lance P: Long-term enteral feeding: a retrospective comparison of delivery via percutaneous endoscopic gastrostomy and nasogastric tubes. *Am J Gastroenterol* 1991; 86: 1604-1609.
39. Vetta F, Gianni W, Ronzoni S et al.: Role of aging in malnutrition and in restitution of nutritional parameters by tube feeding. *Arch Gerontol Geriatr* 1996; Suppl 5: 599-604.
40. Peck A, Cohen CE, Mulvihill MN: Long-term enteral feeding of aged demented nursing home patients. *J Am Geriatr Soc* 1990; 38: 1195-1198.
41. Golden A, Beber C, Weber R, Kumar V, Musson N, Silverman M: Long-term survival of elderly nursing home residents after percutaneous endoscopic gastrostomy for nutritional support. *Nurs Home Med* 1997; 5: 382-389.
42. Unosson M, Larsson J, Ek A-C, Bjurulf P: Effects of dietary supplement on functional condition and clinical outcome measured with a modified Norton scale. *Clin Nutr* 1992; 11: 134-139.
43. Potter JM: Oral supplements in the elderly. *Curr Opin Clin Nutr Metab Care* 2001; 4: 21-28.
44. Woo J, Ho SC, Mak YT, Law LK, Cheung A: Nutritional status of elderly patients during recovery from chest infection and the role of nutritional supplementation assessed by a prospective trial. *Age Ageing* 1994; 23: 40-48.
45. Espauella J, Guyer H, Diaz-Escriu F, Mellado-Navas JA, Castells M, Pladevall M: Nutritional supplementation of elderly hip fracture patients. A randomized, double-blind, placebo-controlled trial. *Age Ageing* 2000; 29: 425-431.
46. Gariballa SE, Parker SG, Taub N, Castleden CM: A randomized, controlled, single-blind trial of nutritional supplementation after acute stroke. *J Parent Ent Nutr* 1998; 22: 315-319.
47. Wouters-Wesseling W, Wouters AE, Kleijer CN, Bindels JG, de Groot CB, van Staveren WA: Study of the effect of a liquid nutrition supplement on the nutritional status of psycho-geriatric nursing home patients. *Eur J Clin Nutr* 2002; 56: 245-251.
48. Faxen-Irving G, Andren-Olsson B, af Geijerstam A, Basun H, Cederholm T: The effect of nutritional intervention in elderly subjects residing in group-living for the demented. *Eur J Clin Nutr* 2002; 56: 221-227.
49. Saudny-Unterberger H, Martin JG, Gray-Donald K: Impact of nutritional support on functional status during an acute exacerbation of chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1997; 156: 794-799.
50. Kwok T, Woo J, Kwan M: Does low lactose milk powder improve the nutritional intake and nutritional status of frail older Chinese people living in nursing homes? *J Nutr Health Aging* 2001; 5: 17-21.
51. Lauque S, Arnaud-Battandier F, Mansourian R, Guigoz Y: Protein-energy oral supplementation in malnourished nursing-home residents. A controlled trial. *Age Ageing* 2000; 29: 51-56.
52. Efthimiou J, Fleming J, Gomes C, Spiro SG: The effect of supplementary oral nutrition in poorly nourished patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1988; 137: 1075-1082.
53. Cederholm TE, Hellström KH: Reversibility of protein-energy malnutrition in a group of chronically-ill elderly outpatients. *Clin Nutr* 1995; 14: 81-87.
54. Katakity M, Webb JF, Dickerson JWT: Some effects of a food supplement in elderly hospital patients: A longitudinal study. *Hum Nutr Appl Nutr* 1983; 37A: 85-93.
55. Abuksis G, Mor M, Segal N et al.: Percutaneous endoscopic gastrostomy: high mortality rates in hospitalized patients. *Am J Gastroenterol* 2000; 95: 128-132.
56. Skelly RH, Kupfer RM, Metcalfe ME et al.: Percutaneous endoscopic gastrostomy (PEG): change in practice since 1988. *Clin Nutr* 2002; 21: 389-394.
57. Sanders DS, Carter MJ, D'Silva J, James G, Bolton RP, Bardhan KD: Survival analysis in percutaneous endoscopic gastrostomy feeding: a worse outcome in patients with dementia. *Am J Gastroenterol* 2000; 95: 1472-1475.
58. Bourdel-Marchasson I, Dumas F, Pinganaud G, Emeriau J-P, Decamps A: Audit of percutaneous endoscopic gastrostomy in long-term enteral feeding in a nursing home. *Internat J Quality Health Care* 1997; 9: 297-302.
59. Rudberg MA, Egleston BL, Grant MD, Brody JA: Effectiveness of feeding tubes in nursing home residents with swallowing disorders. *J Parent Ent Nutr* 2000; 24: 97-102.
60. Mitchell SL, Kiely DK, Lipsitz LA: The risk factors and impact on survival of feeding tube placement in nursing home residents with severe cognitive impairment. [see comments]. *Arch Intern Med* 1997; 157: 327-332.
61. Mitchell SL, Kiely DK, Lipsitz LA: Does artificial enteral nutrition prolong the survival of institutionalized elders with chewing and swallowing problems? *J Gerontol A Biol Sci Med Sci* 1998; 53: M207-M213.
62. Sanders H, Newall S, Norton B, Holmes GT: Gastrostomy feeding in the elderly after acute dysphagic stroke. *J Nutr Health Aging* 2000; 4: 58-60.
63. Weaver JP, Odell P, Nelson C: Evaluation of the benefits of gastric tube feeding in an elderly population. *Arch Fam Med* 1993; 2: 953-956.
64. Delmi M, Rapin C-H, Benoga JM, Delmas PD, Vasey H: Dietary supplementation in elderly patients with fractured neck of femur. *Lancet* 1990; 335: 1013-1016.
65. Tkatch L, Rapin C-H, Rizzoli R et al.: Benefits of oral protein supplementation in elderly patients with fracture of the proximal femur. *J Am Coll Nutr* 1992; 11: 519-525.
66. Schurch MA, Rizzoli R, Slosman D, Vadas L, Vergnaud P, Bonjour JP: Protein supplements increase serum insulin-like growth factor-I levels and attenuate proximal femur bone loss in patients with recent hip fracture. A randomized, double-blind, placebo-controlled trial. *Ann Intern Med* 1998; 128: 801-809.
67. Brown KM, Seabrock NA: Nutritional influences on recovery and length of hospital stay in elderly women following femoral fracture. *Proc Nutr Soc* 1992; 51: 132A.
68. Avenell A, Handoll HH: Nutritional supplementation for hip fracture aftercare in the elderly. *Cochrane Database Syst Rev* 2000; CD001880.
69. Kronld M, Coleman PH, Bradley CL, Lau D, Ryan N: Subjectively healthy elderly consuming a liquid nutrition supplement maintained body mass index and improved some nutritional parameters and perceived well-being. *J Am Diet Assoc* 1999; 99: 1542-1548.
70. Bannerman E, Pendlebury J, Phillips F, Ghosh S: A cross-sectional and longitudinal study of health-related quality of life after percutaneous gastrostomy. *Eur J Gastroenterol Hepatol* 2000; 12: 1101-1109.
71. Verhoef MJ, van Rosendaal GM: Patient outcomes related to percutaneous endoscopic gastrostomy placement. *J Clin Gastroenterol* 2001; 32: 49-53.
72. Stratton RJ, Green CJ, Elia M: Disease-related malnutrition: An evidence-based approach to treatment. CABI Publishing, Oxon, UK. 2003, p.461.
73. Meier DE, Ahronheim JC, Morris J, Baskin-Lyons S, Morrison RS: High short-term mortality in hospitalized patients with advanced dementia: lack of benefit of tube feeding. *Arch Intern Med* 2001; 161: 594-599.
74. Cowen ME, Simpson SL, Vettese TE: Survival estimates for patients with abnormal swallowing studies. *J Gen Intern Med* 1997; 12: 88-94.
75. Murphy LM, Lipman TO: Percutaneous endoscopic gastrostomy does not prolong survival in patients with dementia. *Arch Intern Med* 2003; 163: 1351-1353.
76. Croghan JE, Burke EM, Caplan S, Denman S: Pilot study of 12-month outcomes of nursing home patients with aspiration on videofluoroscopy. *Dysphagia* 1994; 9: 141-146.
77. Dwolatzky T, Bereczowski S, Friedmann R et al.: A prospective comparison of the use of nasogastric and percutaneous endoscopic gastrostomy tubes for long-term enteral feeding in older people. *Clin Nutr* 2001; 20: 535-540.
78. Finucane P, Aslan SM, Duncan D: Percutaneous endoscopic gastrostomy in elderly patients. *Postgrad Med J* 1991; 67: 371-373.
79. Horton WL, Colwell DL, Burlon DT: Experience with percutaneous endoscopic gastrostomy in a community hospital. *Am J Gastroenterol* 1991; 86: 168-170.
80. Schneider SM, Raina C, Pugliese P, Pouget I, Rampal P, Hébuterne X: Outcome of patients treated with home enteral nutrition. *J Parent Ent Nutr* 2001; 25: 203-209.
81. Mitchell SL, Tetroe JM: Survival after percutaneous endoscopic gastrostomy placement in older persons. *J Gerontol A Biol Sci Med Sci* 2000; 55: M735-M739.
82. Lindemann B, Nikolaus PT: Outcomes of percutaneous endoscopic gastrostomy in dementia patients. *J Am Geriatr Soc* 2001; 49: 838-839.
83. Quill TE: Utilization of nasogastric feeding tubes in a group of chronically ill, elderly patients in a community hospital. [see comments]. *Arch Intern Med* 1989; 149: 1937-1941.
84. Bussone M, Meaune S: Percutaneous endoscopic gastrostomy in old age patients. *Age Nutrition* 1992; 3: 110-111.
85. Bussone M, Lalo M, Piette F, Hirsch JF, Senecal P: Percutaneous endoscopic gastrostomy: its value in assisted alimentation in malnutrition in elderly patients. Apropos of 101 consecutive cases in patients over 70 years of age. *Annales de Chirurgie* 1992; 46: 59-66.
86. Markgraf R, Geitmann K, Pientka L, Scholten T: Ernährung über perkutane endoskopische Gastrostomie. Langzeitergebnisse bei polymorbiden geriatrischen Patienten. *Geriatric Forschung* 1994; 4: 123-129.
87. Raha SK, Woodhouse K: The use of percutaneous endoscopic gastrostomy (PEG) in 161

- consecutive elderly patients. *Age Ageing* 1994; 23: 162-163.
88. James A, Kapur K, Hawthorne AB: Long-term outcome of percutaneous endoscopic gastrostomy feeding in patients with dysphagic stroke. *Age Ageing* 1998; 27: 671-676.
89. Wanklyn P, Cox N, Belfield P: Outcome in patients who require a gastrostomy after stroke. *Age Ageing* 1995; 24: 510-514.
90. Wijndicks EF, McMahon MM: Percutaneous endoscopic gastrostomy after acute stroke: complications and outcome. *Cerebrovascular Diseases* 1999; 9: 109-111.
91. Clarkston WK, Smith OJ, Walden JM: Percutaneous endoscopic gastrostomy and early mortality. *South Med J* 1990; 83: 1433-1436.
92. Friedenberg F, Jensen G, Gujral N, Braitman LE, Levine GM: Serum albumin is predictive of 30-day survival after percutaneous endoscopic gastrostomy. *J Parent Ent Nutr* 1997; 21: 72-74.
93. Kohli H, Bloch R: Percutaneous endoscopic gastrostomy: a community hospital experience. *Am Surg* 1995; 61: 191-194.
94. Larson DE, Burton DD, Schroeder KW, DiMaggio EP: Percutaneous endoscopic gastrostomy. Indications, success, complications, and mortality in 314 consecutive patients. *Gastroenterol* 1987; 93: 48-52.
95. Light VL, Slezak FA, Porter JA, Gerson LW, McCord G: Predictive factors for early mortality after percutaneous endoscopic gastrostomy. *Gastrointest Endosc* 1995; 42: 330-335.
96. Llanaez PP, Menendez AM, Roberts R, Dunn GD: Percutaneous endoscopic gastrostomy: clinical experience and follow-up. *South Med J* 1988; 81: 321-324.
97. Markgraf R, Geitmann K, Pientka L, Scholten T: Long-term results of enteral nutrition by percutaneous endoscopic gastrostomy in multi-morbid internal medicine patients. *Z Gastroenterol* 1993; 31 Suppl 5: 21-23.
98. Nicholson FB, Korman MG, Richardson MA: Percutaneous endoscopic gastrostomy: a review of indications, complications and outcome. *J Gastroenterol Hepatol* 2000; 15: 21-25.
99. Rabeneck L, Wray NP, Petersen NJ: Long-term outcomes of patients receiving percutaneous endoscopic gastrostomy tubes. *J Gen Intern Med* 1996; 11: 287-293.
100. Rimón E: The safety and feasibility of percutaneous endoscopic gastrostomy placement by a single physician. *Endoscopy* 2001; 33: 241-244.
101. Sali A, Wong PT, Read A, McQuillan T, Conboy D: Percutaneous endoscopic gastrostomy: the Heidelberg Repatriation Hospital experience. *Australian and New Zealand Journal of Surgery* 1993; 63: 545-550.
102. Stuart SP, Tiley EH, Boland JP: Feeding gastrostomy: a critical review of its indications and mortality rate. *South Med J* 1993; 86: 169-172.
103. Tan W, Rajnakova A, Kum CK, Alponat A, Goh PM: Evaluation of percutaneous endoscopic gastrostomy in a university hospital. *Hepato-Gastroenterology* 1998; 45: 2060-2063.
104. Taylor CA, Larson DE, Ballard DJ *et al.*: Predictors of outcome after percutaneous endoscopic gastrostomy: a community-based study. [see comments]. *Mayo Clin Proc* 1992; 67: 1042-1049.
105. Wolfen HC, Kozarek RA, Ball TJ, Patterson DJ, Botoman VA, Ryan JA: Long-term survival in patients undergoing percutaneous endoscopic gastrostomy and jejunostomy. *Am J Gastroenterol* 1990; 85: 1120-1122.
106. Elia M, Stratton RJ, Holden C *et al.*: Home enteral tube feeding following cerebrovascular accident. *Clin Nutr* 2001; 20: 27-30.
107. Howard L, Malone M: Clinical outcome of geriatric patients in the United States receiving home parenteral and enteral nutrition. *Am J Clin Nutr* 1997; 66: 1364-1370.
108. Sanders DS, Carter MJ, D'Silva J, McAlindon ME, Willemse PJ, Bardham KD: Percutaneous endoscopic gastrostomy: a prospective analysis of hospital support required and complications following discharge to the community. *Eur J Clin Nutr* 2001; 55: 610-614.
109. Potter JM, Roberts MA, McColl JH, Reilly JJ: Protein energy supplements in unwell elderly patients – a randomized controlled trial. *J Parent Ent Nutr* 2001; 25: 323-329.
110. Chandra RK, Puri S: Nutritional support improves antibody response to influenza virus vaccine in the elderly. *Br Med J* 1985; 291: 705-706.
111. Wouters-Wesseling W, Wagenaar LW, de Groot LC, Bindels JG, van Staveren WA: Biochemical antioxidant levels respond to supplementation with an enriched drink in frail elderly people. *J Am Coll Nutr* 2003; 22: 232-238.
112. Banerjee AK, Brocklehurst JC, Wainwright H, Swindell R: Nutritional status of long-stay geriatric in-patients: effects of a food supplement (complain). *Age Ageing* 1978; 7: 237-243.
113. Banerjee AK, Brocklehurst JC, Swindell R: Protein status in long-stay geriatric in-patients. *Gerontology* 1981; 27: 161-166.
114. Beck AM, Ovesen L, Schroll M: Home-made oral supplement as nutritional support of old nursing home residents, who are undernourished or at risk of undernutrition based on the MNA. A pilot trial. *Mini Nutritional Assessment. Aging Clin Exp Res* 2002; 14: 212-215.
115. Ek A-C, Larsson J, von Schenck H, Thorslund S, Unosson M, Bjurulf P: The correlation between energy, malnutrition and clinical outcome in an elderly hospital population. *Clin Nutr* 1990; 9: 185-189.
116. Hankey CR, Summerbell J, Wynne HA: The effect of dietary supplementation in continuing-care people: Nutritional, anthropometric and biochemical parameters. *J Hum Nutr Diet* 1993; 6: 317-322.
117. McEvoy AW, James OFW: The effect of a dietary supplement (Build-up) on nutritional status in hospitalized elderly patients. *Hum Nutr Appl Nutr* 1982; 36A: 374-376.
118. Bunker VW, Stansfield ME, Deacon-Smith R, Marzil RA, Hounslow A, Clayton BE: Dietary supplementation and immunocompetence in housebound elderly subjects. *Br J Biomed Sci* 1994; 51: 128-135.
119. Bourdel-Marchasson I, Barateau M, Rondeau V *et al.*: A multi-center trial of the effects of oral nutritional supplementation in critically ill older inpatients. *Nutrition* 2000; 16: 1-5.
120. Chandra RK, Joshi P, Au B, Woodford G: Nutrition and immunocompetence of the elderly: effect of short-term nutritional supplementation on cell-mediated immunity and lymphocyte subsets. *Nutr Res* 1982; 2: 223-232.
121. Gray-Donald K, Payette H, Boutier V, Page S: Evaluation of the dietary intake of homebound elderly and the feasibility of dietary supplementation. *J Am Coll Nutr* 1994; 13: 277-284.
122. Lipschitz DA, Mitchell CO, Steele RW, Milton KY: Nutritional evaluation and supplementation of elderly subjects participating in a „meals-on-wheels“ program. *J Parent Ent Nutr* 1985; 9: 343-347.
123. Harrill I, Kunz M, Kyles A: Dietary supplementation and nutritional status in elderly women. *J Nutr Elderly* 1981; 1: 3-13.
124. Welch PK, Dowson M, Endres JM: The effect of nutrient supplements on high risk long term care residents receiving pureed diets. *J Nutr Elderly* 1991; 10: 49-62.
125. Joosten E, Vander Elst B: Does nutritional supplementation influence the voluntary dietary intake in an acute geriatric hospitalized population? *Aging (Milano)* 2001; 13: 391-394.
126. Brin MF, Younger D: Neurologic disorders and aspiration. *Otolaryngol Clin North Am* 1988; 21: 691-699.
127. Daniels SK, Brailey K, Priestley DH, Herrington LR, Weisberg LA, Foundas AL: Aspiration in patients with acute stroke. *Arch Phys Med Rehabil* 1998; 79: 14-19.
128. Smithard DG, O'Neill PA, Parks C, Morris J: Complications and outcome after acute stroke – does dysphagia matter? *Stroke* 1996; 27: 1200-1204.
129. Teasell RW, McRae M, Marchuk Y, Finestone HM: Pneumonia associated with aspiration following stroke. *Arch Phys Med Rehabil* 1996; 77: 707-709.
130. Odderson IR, Keaton JC, McKenna BS: Swallow management in patients on an acute stroke pathway: quality is cost effective. *Arch Phys Med Rehabil* 1995; 76: 1130-1133.
131. Smithard DG, Kenwick D, Martin D, O'Neill P: Chest infection following acute stroke: does aspiration matter? *Age Ageing* 1993; 22 Suppl 3: 24-29.
132. Axelsson K, Asplund K, Norberg A, Eriksson S: Eating problems and nutritional status during hospital stay of patients with severe stroke. *J Am Diet Assoc* 1989; 89: 1092-1096.
133. Gariballa SE, Parker SG, Taub N, Castleden M: Nutritional status of hospitalized acute stroke patients. *Br J Nutr* 1998; 79: 481-487.
134. FOOD Trial Collaboration. Poor nutritional status on admission predicts poor outcomes after stroke: observational data from the FOOD trial. *Stroke* 2003; 34: 1450-1456.
135. Bath PM, Bath FJ, Smithard DG: Interventions for dysphagia in acute stroke. *Cochrane Database Syst Rev* 2000; CD000323.
136. Broadley S, Croser D, Cottrell J *et al.*: Predictors of prolonged dysphagia following acute stroke. *J Clin Neurosci* 2003; 10: 300-305.
137. Nyswonger GD, Helmchen RH: Early enteral nutrition and length of stay in stroke patients. *J Neurosci Nurs* 1992; 24: 220-223.
138. Taylor SJ: Audit of nasogastric feeding practice at two acute hospitals: is early enteral feeding associated with reduced mortality and hospital stay? *J Hum Nutr Diet* 1993; 6: 477-489.
139. Smithard DG, O'Neill PA, England RE, Park CL, Wyatt R, Martin D, Morris J: The natural history of dysphagia following a stroke. *Dysphagia* 1997; 12: 188-193.
140. Barer DH: The natural history and functional consequences of dysphagia in hemispheric stroke. *J Neurol Neurosurg Psychiatry* 1989; 52: 236-241.
141. Gordon C, Hewer RL, Wade DT: Dysphagia in acute stroke. *Br Med J* 1987; 295: 411-414.
142. Houwing RH, Rozendaal M, Wouters-Wesseling W, Beulens JW, Buskens E, Haalboom JR: A randomised, double-blind assessment of the effect of nutritional supplementation on the prevention of pressure ulcers in hip-fracture patients. *Clin Nutr* 2003; 22: 401-405.
143. Lawson RM, Doshi MK, Barton JR, Cobden I: The effect of unselected post-operative nutritional supplementation on nutritional status and clinical outcome of orthopaedic patients. *Clin Nutr* 2003; 22: 39-46.
144. Stableforth PG: Supplement feed and nitrogen and calorie balance following femoral neck fracture. *Br J Surg* 1986; 73: 651-655.

145. Carver AD, Dobson AM: Effects of dietary supplementation of elderly demented hospital residents. *J Hum Nutr Diet* 1995; 8: 389-394.
146. Arens J, Zürcher G, Fietkau R, Aulbert E, Frick B, Holm M, Kneba M, Mestrom HJ, Zander A: Leitlinie Enterale Ernährung: Onkologie. *Aktuel Ernaehr Med* 2003; 28 Suppl 1: S61-68.
147. Patel PH, Thomas E: Risk factors for pneumonia after percutaneous endoscopic gastrostomy. *J Clin Gastroenterol* 1990; 12: 389-392.
148. Baeten C, Hoefnagels J: Feeding via nasogastric tube or percutaneous endoscopic gastrostomy. A comparison. *Scand J Gastroenterol* 1992; 194: 95-98.
149. Peschl L, Zeilinger M, Munda W, Prem H, Schragel D: Percutaneous endoscopic gastrostomy – a possibility for enteral feeding of patients with severe cerebral dysfunctions. *Wien Klin Wochenschr* 1988; 100: 314-318.
150. Leibovitz A, Plotnikov G, Habot B, Rosenberg M, Segal R: Pathogenic colonization of oral flora in frail elderly patients fed by nasogastric tube or percutaneous enterogastric tube. *J Gerontol A Biol Sci Med Sci* 2003; 58: 52-55.
151. Gomes GF, Pisani JC, Macedo ED, Campos AC: The nasogastric feeding tube as a risk factor for aspiration and aspiration pneumonia. *Curr Opin Clin Nutr Metab Care* 2003; 6: 327-333.
152. Ek A-C, Unosson M, Larsson H, von Schenck H, Bjurulf P: The development and healing of pressure sores related to the nutritional state. *Clin Nutr* 1991; 10: 245-250.
153. Bourdel-Marchasson I, Barateau M, Rondeau V et al.: A multi-center trial of the effects of oral nutritional supplementation in critically ill older inpatients. GAGE Group. Groupe Aquitain Geriatrique d'Evaluation. *Nutrition* 2000; 16: 1-5.
154. Finucane TE: Malnutrition, tube feeding and pressure sores: data are incomplete. *J Am Geriatr Soc* 1995; 43: 447-451.
155. Breslow RA, Hallfrisch J, Guy DG, Crawley B, Goldbert AP: The importance of dietary protein in healing pressure ulcers. *J Am Geriatr Soc* 1993; 41: 357-362.
156. McCarter TL, Condon SC, Aguilar RC, Gibson DJ, Chen YK: Randomized prospective trial of early versus delayed feeding after percutaneous endoscopic gastrostomy placement. *Am J Gastroenterol* 1998; 93: 419-421.
157. Brown DN, Miedema BW, King PD, Marshall JB: Safety of early feeding after percutaneous endoscopic gastrostomy. *J Clin Gastroenterol* 1995; 21: 330-331.
158. Choudhry U, Barde CJ, Markert R, Gopalswamy N: Percutaneous endoscopic gastrostomy: a randomized prospective comparison of early and delayed feeding. *Gastrointest Endosc* 1996; 44: 164-167.
159. Dormann A, Stehle P, Radziwill R, Löser C, Paul C, Keymling M, Lochs H: Leitlinie Enterale Ernährung: Grundlagen. *Aktuel Ernaehr Med* 2003; 28 Suppl. 1: S26-35.