

Enterale Ernährung

Nährsubstrate und deren Anwendung beim erwachsenen Patienten

Dipl. oec. troph. Christiane Bott

Ernährungs Umschau 54 (2007), S. 528 ff.

Literatur

1. Pirlich M et al. (2006) Enterale Ernährung. *Internist* 47(4): 405–19
2. Lochs H et al. (2006) Introductory to the ESPEN Guidelines on Enteral Nutrition: Terminology, Definitions and General Topics. *Clin Nutr* 25: 180–6
3. Dormann A et al. (2003) DGEM-Leitlinie Enterale Ernährung: Grundlagen. *Akt Ernaehr Med* 28 (Suppl 1): S26–S35
4. Deutsche Gesellschaft für Ernährung, Österreichische Gesellschaft für Ernährungsmedizin, Schweizerische Gesellschaft für Ernährungsforschung, Schweizerische Vereinigung für Ernährung (D-A-CH). Referenzwerte für die Nährstoffzufuhr, 1. Auflage. Frankfurt Umschau Braus GmbH; 2000
5. Klein S, Fleming CR (1997) Enteral and parenteral nutrition. In: Feldman M, Schar Schmidt BF, Slesinger MH (eds) *Slesinger & Fordtran's gastrointestinal and liver disease*, 6 edn. Saunders, Philadelphia, 254–276
6. Jordan A et al. (2003) Indikationen unterschiedlicher Sondendiäten. In: *Praxishandbuch klinische Ernährung und Infusionstherapie*. Stein J, Jauch K-W (Hrsg) Springer. Heidelberg, 312–320
7. Evans MA, Shronts EP (1992) Intestinal fuels: glutamine, short-chain fatty acids, and dietary fiber. *J Am Diet Assoc* 92(10): 1239–46
8. Deitch EA (1994) Bacterial translocation: the influence of dietary variables. *Gut* 35 (1 Suppl): S23–7
9. Bowling TE, Silk DB (1995) Pathophysiology of diarrhoea and the role of fibre in enteral nutrition. *Clin Nutr* 14 (Suppl 1): 84–6
10. Homann HH et al. (1994) Reduction in diarrhea incidence by soluble fiber in patients receiving total or supplemental enteral nutrition. *JPEN* 18(6): 486–90
11. Weimann A et al. (2006) ESPEN Guidelines on Enteral Nutrition: Surgery including organ transplantation. *Clin Nutr* 25(2): 224–44
12. Van Bokhorst-de van der Schuer MAE et al. (1999) The impact of nutritional status on the prognoses of patients with advanced head and neck cancer. *Cancer* 86(3): 519–27
13. Rey-Ferro M et al. (1997) Nutritional and immunologic evaluation of patients with gastric cancer before and after surgery. *Nutrition* 13(10): 878–81
14. Butters M et al. (1996) Studies on nutritional status in general surgery patients by clinical, anthropometric, and laboratory parameters. *Nutrition* 12(6): 405–10
15. Arends J et al. (2006) ESPEN Guidelines on Enteral Nutrition: Non-surgical oncology. *Clin Nutr* 25(2): 245–59
16. Van Hoof P et al. (1989) Anorexia, malnutrition and food aversion with newly detected gastric or colorectal cancer. *Clin Nutr* 8: 151
17. Sax HC, Souba WW (1993) Enteral and parenteral feedings. *Guidelines and recommendations*. *Med Clin North Am* 77(4): 863–80
18. Hackl JM, Balogh D (1997) Indikation zur künstlichen Ernährung – was ist gesichert? *Akt Ernährungsmedizin* (22): 146–53
19. Drumel W et al. (2004) Empfehlungen für die parenterale und enterale Ernährung des Erwachsenen 3rd ed. Vienna: Arbeitsgemeinschaft Klinische Ernährung (AKE)
20. Baldwin C, Parsons TJ (2004) Dietary advice and nutritional supplements in the management of illness-related malnutrition: systematic review. *Clin Nutr* 23(6): 1267–79.
21. ASPEN Board of Directors, Clinical Guidelines Task Force (2002) Nutrition assessment-adults. *JPEN* 26 (1 Suppl): 9–12
22. Isenring EA et al. (2004) Nutrition intervention is beneficial in oncology outpatients receiving radiotherapy to the gastrointestinal or head and neck area. *Br J Cancer* 91(3): 447–52
23. Ravasco P et al. (2005) Dietary counseling improves patient outcomes: a prospective, randomized, controlled trial in colorectal cancer patients undergoing radiotherapy. *J Clin Oncol* 23(7): 1431–8
24. Moses AW et al. (2004) Reduced total energy expenditure and physical activity in cachectic patients with pancreatic cancer can be modulated by an energy and protein dense oral supplement enriched with n-3 fatty acids. *Br J Cancer* 90 (5): 996–1002
25. Weberhofer CM et al. (2007) Ernährungstherapie bei Patienten mit Kopf-Hals-Tumoren unter Radio-/Chemotherapie. *Akt Ernaehr Med* 32: 72–79
26. Collins MM et al. (1999) Nutritional consequences of radiotherapy in early laryngeal carcinoma. *Ann R Coll Surg Engl* 81(6): 376–81
27. Elia M et al. (2006) Enteral (oral or tube administration) nutritional support and eicosapentaenoic acid in patients with cancer: a systematic review. *Int J Oncol* 28(1): 5–23

28. Jonkers-Schuitema CF (2004) HPN = Home palliative care? *Clin Nutr* 23(6): 1253–5
29. Nitenberg G, Raynard B (2000) Nutritional support of the cancer patient: issues and dilemmas. *Crit Rev Oncol Hematol* 34(3): 137–68
30. Persson Cet al. (2005) Impact of fish oil and melatonin on cachexia in patients with advanced gastrointestinal cancer: a randomized pilot study. *Nutrition* 21(2): 170–8
31. Takatsuka H et al. (2001) Oral eicosapentaenoic acid for complications of bone marrow transplantation. *Bone Marrow Transplant* 28(8): 769–74
32. Jatoi A. (2005) Omega-3 fatty acid supplements for cancer-associated weight loss. *Nutr Clin Pract* 20(4): 394–9
33. Jatoi A. (2005) Fish oil, lean tissue, and cancer: is there a role for eicosapentaenoic acid in treating the cancer anorexia/weight loss syndrome? *Crit Rev Oncol Hematol* 55(1): 37–43
34. Bruera E et al. (2003) Effect of fish oil on appetite and other symptoms in patients with advanced cancer and anorexia/cachexia: a double-blind, placebo-controlled study. *J Clin Oncol* 21(1): 129–34
35. Burns CP et al. (2004) Phase II study of high-dose fish oil capsules for patients with cancer-related cachexia. *Cancer* 101(2): 370–8
36. Fearon KC et al. (2006) Double-blind, placebo-controlled, randomized study of eicosapentaenoic acid diester in patients with cancer cachexia. *J Clin Oncol* 24(20): 3401–7
37. Fearon KC et al. (2003) Effect of a protein and energy dense N-3 fatty acid enriched oral supplement on loss of weight and lean tissue in cancer cachexia: a randomised double blind trial. *Gut* 52(10): 1479–86
38. Lochs H et al. (2006) ESPEN Guidelines on Enteral Nutrition: Gastroenterology. *Clin Nutr* 25(2): 260–74
39. Messori A. (1996) Defined-formula diets versus steroids in the treatment of active Crohn's disease: a meta-analysis. *Scand J Gastroenterol* 31(3): 267–72
40. Zachos M et al. (2007) Enteral nutritional therapy for induction of remission in Crohn's disease. *Cochrane Database Syst Rev* 24(1): CD000542.
41. Griffiths AM (2006) Enteral feeding in inflammatory bowel disease. *Curr Opin Clin Nutr Metab Care* 9(3): 314–8
42. Bremner AR, Beattie R (2002) Therapy of Crohn's disease in childhood. *Expert Opin Pharmacother* 3(7): 809–25
43. Akobeng A, Thomas A (2007) Enteral nutrition for maintenance of remission in Crohn's disease. *Cochrane Database Syst Rev* 18(3): CD005984
44. Wilschanski M et al. (1996) Supplementary enteral nutrition maintains remission in paediatric Crohn's disease. *Gut* 38(4): 543–8
45. Verma S et al. (2000) Oral nutritional supplementation is effective in the maintenance of remission in Crohn's disease. *Dig Liver Dis* 32(9): 769–74
46. Azcue M et al. (1997) Energy expenditure and body composition in children with Crohn's disease: effect of enteral nutrition and treatment with prednisolone. *Gut* 41(2): 203–9
47. Motil KJ et al. (1993) Growth failure in children with inflammatory bowel disease: a prospective study. *Gastroenterology* 105(3): 681–91
48. Raouf AH et al. (1991) Enteral feeding as sole treatment for Crohn's disease: controlled trial of whole protein v amino acid based feed and a case study of dietary challenge. *Gut* 32(6): 702–7
49. Griffiths AM et al. (1995) Meta-analysis of enteral nutrition as a primary treatment of active Crohn's disease. *Gastroenterology* 108(4): 1056–67
50. Verma SB et al. (2000) Polymeric versus elemental diet as primary treatment in active Crohn's disease: a randomized, double-blind trial. *Am J Gastroenterol* 95(3) 735–9
51. Rigaud D et al. (1991) Controlled trial comparing two types of enteral nutrition in treatment of active Crohn's disease: elemental versus polymeric diet. *Gut* 32(12): 1492–7
52. Macdonald A (2006) Omega-3 fatty acids as adjunctive therapy in Crohn's disease. *Gastroenterol Nurs* 29(4): 295–301
53. Fell JM (2005) Control of systemic and local inflammation with transforming growth factor beta containing formulas. *JPEN* 29 (4 Suppl): S126–8
54. Dray X, Marteau P (2005) The use of enteral nutrition in the management of Crohn's disease in adults. *JPEN* 29(4): 166–9
55. Akobeng AK et al. (2000) Double-blind randomized controlled trial of glutamine-enriched polymeric diet in the treatment of active Crohn's disease. *J Pediatr Gastroenterol Nutr* 30(1): 78–84
56. Gassull MA (2002) Fat composition may be a clue to explain the primary therapeutic effect of enteral nutrition in Crohn's disease: results of a double blind randomised multicentre European trial. *Gut* 51(2): 164–8
57. Parekh NR, Steigerm E (2007) Short bowel syndrome. *Curr Treat Options Gastroenterol* 10(1): 10–23
58. Leuenberger M (2006) Das Kurzdarmsyndrom: Eine interdisziplinäre Herausforderung. *Akt Ernähr Med* 31(5): 235–242
59. Plauth M et al. (2006) ESPEN Guidelines on Enteral Nutrition: Liver disease. *Clin Nutr*, 25(2): 285–94
60. Harrison J et al. (1997) A prospective study on the effect of recipient nutritional status on outcome in liver transplantation. *Transplant Int* 10(5): 369–74
61. Kondrup J, Muller MJ (1997) Energy and protein requirements of patients with chronic liver disease. *J Hepatol* 27(1): 239–47
62. Henkel AS, Buchman AL (2006) Nutritional support in patients with chronic liver disease. *Nat Clin Pract Gastroenterol Hepatol* 3(4): 202–9
63. Plauth M et al. (1997) ESPEN guidelines for nutrition in liver disease and transplantation. *Clin Nutr* 16(2): 43–55
64. Cano N et al. (2006) ESPEN Guidelines on Enteral Nutrition: Adult renal failure. *Clin Nutr* 25(2): 295–310
65. Anker SD et al. (2006) ESPEN Guidelines on Enteral Nutrition: Cardiology and pulmonology. *Clin Nutr* 25(2): 311–9
66. Ockenga J et al. (2006) ESPEN Guidelines on Enteral Nutrition:

- Wasting in HIV and other chronic infectious diseases. *Clin Nutr* 25(2): 319–29
67. Berneis K et al. (2000) Nutritional supplements combined with dietary counselling diminish whole body protein catabolism in HIV-infected patients. *Eur J Clin Invest* 30(1): 87–94
 68. Pichard C et al. (1998) A randomized double-blind controlled study of 6 months of oral nutritional supplementation with arginine and omega-3 fatty acids in HIV-infected patients. Swiss HIV Cohort Study. *AIDS* 12(1): 53–63
 69. Suttman U et al. (1996) Weight gain and increased concentrations of receptor proteins for tumor necrosis factor after patients with symptomatic HIV infection received fortified nutrition support. *J Am Diet Assoc* 96(6): 565–9
 70. Dowling S et al. (1996) An evaluation of percutaneous endoscopic gastrostomy feeding in AIDS. *Int J STD AIDS* 7(2): 106–9
 71. Burger B et al. (1994) Oral supplements in HIV-infected patients with chronic wasting. A prospective trial. *Med Klin* 89(11): 579–81
 72. Keithley JK et al. (2002) Comparison of standard and immune-enhancing oral formulas in asymptomatic HIV-infected persons: a multicenter randomized controlled clinical trial. *JPEN* 26(1): 6–14
 73. Wanke CA et al. (1996) A medium chain triglyceride-based diet in patients with HIV and chronic diarrhea reduces diarrhea and malabsorption: a prospective, controlled trial. *Nutrition* 12(11–12): 766–71
 74. Volkert D et al. (2006) ESPEN Guidelines on Enteral Nutrition: Geriatrics. *Clin Nutr* 25(2): 330–60
 75. Meier R et al. (2006) ESPEN Guidelines on Enteral Nutrition: Pancreas. *Clin Nutr* 25(2) 275–84
 76. Aoyagi K et al. (2005) Enteral nutrition as a primary therapy for intestinal lymphangiectasia: value of elemental diet and polymeric diet compared with total parenteral nutrition. *Dig Dis Sci* 50(8): 1467–70
 77. Stratton RJ et al. (2005) Enteral nutritional support in prevention and treatment of pressure ulcers: a systematic review and meta-analysis. *Ageing Res Rev* 4(3): 422–5
 78. Khanna S, Gopalan S (2007) Role of branched-chain amino acids in liver disease: the evidence for and against. *Curr Opin Clin Nutr Metab Care* 10(3): 297–303
 79. Cordoba J et al. (2004) Normal protein diet for episodic hepatic encephalopathy: results of a randomized study. *J Hepatol* 41(1): 38–43
 80. Elia M et al. (2005) Enteral nutritional support and use of diabetes-specific formulas for patients with diabetes: a systematic review and meta-analysis. *Diabetes Care* 28(9): 2267–79
 81. Parhofer K et al. (2003) DGEM-Leitlinie Enterale Ernährung: Diabetologie. *Akt Ernähr Med* 28(Suppl 1): 103–9
 82. Wahed M et al. (2002) Novel substrates. *Eur J Gastroenterol Hepatol* 19(5): 365–70
 83. Novak F et al. (2002) Glutamine supplementation in serious illness: a systematic review of the evidence; *Crit Care Med* 30(9): 2022–9
 84. Krenz D, Jauch KW (2002) Immunonutrition. In: *Praxishandbuch klinische Ernährung und Infusionstherapie*. Stein J, Jauch K.-W. (Hrsg) Springer Heidelberg, 241–9
 85. Daly JM et al. (1992) Enteral nutrition with supplemental arginine, RNA, and omega-3 fatty acids in patients after operation: immunologic, metabolic, and clinical outcome. *Surgery* 112(1): 56–67
 86. Grimble RF (2005) Immunonutrition. *Curr Opin Gastroenterol* 21(2): 216–22
 87. Gadek JE et al. (1999) Effect of enteral feeding with eicosapentaenoic acid, gamma-linolenic acid, and antioxidants in patients with acute respiratory distress syndrome. *Enteral Nutrition in ARDS Study Group. Crit Care Med* 27(8): 1409–20
 88. Pacht ER et al. (2002) Enteral nutrition with eicosapentaenoic acid, gamma-linolenic acid, and antioxidants reduces alveolar inflammatory mediators and protein influx in patients with acute respiratory distress syndrome. *Crit Care Med* 31(2): 491–500
 89. Nelson JL et al. (2003) Effect of enteral feeding with eicosapentaenoic acid, gamma-linolenic acid, and antioxidants on antioxidant status in patients with acute respiratory distress syndrome. *JPEN* 27(2): 98–104
 90. Heys SD et al. (1999) Enteral nutritional supplementation with key nutrients in patients with critical illness and cancer: a meta-analysis of randomized controlled clinical trials. *Ann Surg* 229(4): 467–77
 91. Grimble GK (1994) Dietary nucleotides and gut mucosal defence. *Gut* 35(1 Suppl): S46–51
 92. Grimble GK, Westwood OM (2001) Nucleotides as immunomodulators in clinical nutrition. *Curr Opin Clin Nutr Metab Care* 4(1): 57–64
 93. Moskovitz DN, Kim YI (2004) Does perioperative immunonutrition reduce postoperative complications in patients with gastrointestinal cancer undergoing operations? *Nutrition reviews* 62(11): 443–7
 94. Braga M et al. (2005) Hospital resources consumed for surgical morbidity: effects of preoperative arginine and omega-3 fatty acid supplementation on costs. *Nutrition* 21(11–12): 1078–86
 95. Zheng YLF et al. (2007) Application of perioperative immunonutrition for gastrointestinal surgery: a meta-analysis of randomized controlled trials. *Asia Pacific journal of clinical nutrition* 16(Suppl 1) 253–7
 96. Bertolini G et al. (2003) Early enteral immunonutrition in patients with severe sepsis: results of an interim analysis of a randomized multicentre clinical trial. *Intensive Care Med* 29(5): 834–40
 97. Radrizzani D et al. (2006) Early enteral immunonutrition vs. parenteral nutrition in critically ill patients without severe sepsis: a randomized clinical trial. *Intensive Care Med* 32(8): 1191–8
 98. Galbán C et al. (2000) An immune-enhancing enteral diet reduces mortality rate and episodes of bacteremia in septic intensive care unit patients. *Crit Care Med* 28(3): 643–8
 99. Kreymann KG et al. (2006) ESPEN Guidelines on Enteral Nutrition: Intensive care. *Clin Nutr* 25(2): 210–23