

Salzreduktion als bevölkerungsbezogene Präventionsmaßnahme

Teil 3: Vorteile des Ansatzes und kritische Betrachtung möglicher adverser Effekte

Leonie Knorpp und Prof. habil. Dr. med. Anja Kroke

Ernährungs Umschau 57 (2010), S. 410 ff.

Literatur

- Rose G (2001) Sick individuals and sick populations. *Int J Epidemiol* 3: 427–432
- Mattes RD DD (1991) Relative contributions of dietary sodium sources. *J Am Coll Nutr* 10: 383–393
- Rosamund W, Flegal K, Furie K et al. (2008) Heart disease and stroke statistics – 2008 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. *Circulation* 117: 125–146
- Bibbins-Domingo K, Chertow GM, Coxson PG et al. (2010) Projected effect of dietary salt reductions on future cardiovascular disease. *N Engl J Med* 7: 590–599
- He FJ, MacGregor GA (2003) How far should salt intake be reduced. *Hypertension* 6: 1093–1099
- Du Cailar G, Mimran A (2007) Non-pressure-related effects of dietary sodium. *Curr Hypertens Rep* 2: 154–159
- Liebson PR, Grandits GA, Dianzumba S et al. (1995) Comparison of five antihypertensive monotherapies and placebo for change in left ventricular mass in patients receiving nutritional-hygienic therapy in the Treatment of Mild Hypertension Study (TOMHS). *Circulation* 3: 698–706
- Simon G (2003) Experimental evidence for blood pressure-independent vascular effects of high sodium diet. *Am J Hypertens* 12: 1074–1078
- World Cancer Research Fund International; American Institute for Cancer Research (2007) Food, nutrition, physical activity, and the prevention of cancer. A global perspective. Washington, DC, AICR, S 517
- Heaney RP (2006) Role of dietary sodium in osteoporosis. *J Am Coll Nutr* 3 Suppl: 271–276
- Grases F, Costa-Bauza A, Prieto RM (2006) Renal lithiasis and nutrition. *Nutr J* 5: 23
- Swift PA, Markandu ND, Sagnella GA et al. (2005) Modest salt reduction reduces blood pressure and urine protein excretion in black hypertensives: a randomized control trial. *Hypertension* 2: 308–312
- Meneton P, Jeunemaitre X, Wardener HE de, MacGregor GA (2005) Links between dietary salt intake, renal salt handling, blood pressure, and cardiovascular diseases. *Physiol Rev* 2: 679–715
- Dickinson BD, Havas S (2007) Reducing the population burden of cardiovascular disease by reducing sodium intake: a report of the Council on Science and Public Health. *Arch Intern Med* 14: 1460–1468
- Vilaplana JMG: Blood pressure measurement. *J Ren Care* 4: 210–213
- Karppanen H, Mervaala E (2006) Sodium intake and hypertension. *Progr Cardiovasc Dis* 2: 59–75
- Prättälä R (2003) Dietary changes in Finland. Success stories and future challenges. *Appetite*: 245–249
- Pietinen P, Valsta LM, Hirvonen T, Sinkko H (2007) Labelling the salt content in foods: a useful tool in reducing sodium intake in Finland. *Publ Health Nutr* 11: 335–340
- Kastarinen M, Salomaa V, Vartiainen EA et al. (1998) Trends in blood pressure levels and control of hypertension in Finland from 1982 to 1997. *J Hypertens* 16: 1379–1387
- Vartiainen E, Sarti C, Tuomilehto J, Kuulasmaa K (1995) Do changes in cardiovascular risk factors explain changes in mortality from stroke in Finland. *BMJ Clin Res* 6984: 901–904
- Kupari M, Koskinen P, Virolainen J (1994) Correlates of left ventricular mass in a population sample aged 36 to 37 years. Focus on lifestyle and salt intake. *Circulation* 3: 1041–1050
- Kastarinen M, Laatikainen T, Salomaa V et al. (2007) Trends in lifestyle factors affecting blood pressure in hypertensive and normotensive Finns during 1982–2002. *J Hypertens* 2: 299–305
- Hooper L, Bartlett C, Davey SG, Ebrahim S (2004) Advice to reduce dietary salt for prevention of cardiovascular disease. *Cochrane Database Syst Rev* 1: CD003656
- Jürgens G, Graudal NA (2004) Effects of low sodium diet versus high sodium diet on blood pressure, renin, aldosterone, catecholamines, cholesterol, and triglyceride. *Cochrane Database Syst Rev* 1: CD004022
- Alderman MH (1999) Salt reduction and cardiovascular risk. *J Hum Hypertens* 9: 645
- Chobanian AV, Bakris GL, Black HR et al. (2003) Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *Hypertension* 6: 1206–1252
- Food and Nutrition Board (FNB) Dietary reference intakes for water, potassium, sodium, chloride, and sulfate, Oxford, National Academies Press (2005) S. 617

28. He FJ, MacGregor GA (2004) Effect of longer-term modest salt reduction on blood pressure. *Cochrane Database Syst Rev* 3: CD004937
29. Karppanen H, Mervaala E (1998) Sodium intake and mortality. *Lancet* 9114: 1509; author reply 1509–10
30. Beevers DG (2002) The epidemiology of salt and hypertension. *Clin Auton Res* 12: 353–357
31. Alawqati A (2006) Evidenced-based politics of salt and blood pressure. *Kidney Int* 69: 1707–1708
32. Großklaus R (2007) Nutzen und Risiken der Jodprophylaxe. Einfluss von Jodsalz auf Schilddrüsenerkrankungen und die Gesundheit des Menschen. *Präv Gesundheitsf* 2: 159–166
33. Arbeitskreis Jodmangel: Aktueller Stand der Jodversorgung in Deutschland. URL: http://www.jodmangel.de/wissenschaft_und_praxis/versorgungsstand.php Zugriff 02.05.2009
34. Deutsche Gesellschaft für Ernährung: Ernährungsbericht 2008. DGE, Bonn (2008)
35. Max Rubner-Institut Bundesforschungsinstitut für Ernährung und Lebensmittel: Nationale Verzehrsstudie II. Ergebnisbericht. Teil 1. Karlsruhe (2008)
36. Als C, Haldimann M, Bürgi E et al. (2003) Swiss pilot study of individual seasonal fluctuations of urinary iodine concentration over two years: is age-dependency linked to the major source of dietary iodine. *Eur J Clin Nutr* 5: 636–646
37. Elmadfa I, Weichselbaum E, König J et al. (2005) European nutrition and health report 2004. *Forum Nutr* 58: 1–220
38. ICCIDD Comment on salt iodization guidelines document. URL: www.iccidd.org/index.php Zugriff 15.02.2010
39. Scriba PC, Heseke H, Fischer A (2007) Jodmangel und Jodversorgung in Deutschland. Erfolgreiche Verbraucherbildung und Prävention am Beispiel von jodiertem Speisesalz. *Präv Gesundheitsf* 2: 143–148
40. Bertino M, Beauchamp GK, Engelman K (1982) Long-term reduction in dietary sodium alters the taste of salt. *Am J Clin Nutr* 6: 1134–1144
41. Girgis S, Neal B, Prescott J et al. (2003) A one-quarter reduction in the salt content of bread can be made without detection. *Eur J Clin Nutr* 4: 616–620
42. Klicast D, den Ridder C Sensory issues in reducing salt in food products. In: Kilcast D, Angus F (Hg) *Reducing salt in foods. Practical strategies*, Woodhead; CRC Press., Cambridge, Boca Raton, FL. (2007) S. 201–217
43. Bachmann M, Burnier M, Daeniker Roth C et al.: Salzkonsum und Bluthochdruck. Expertenbericht der Schweizerischen Eidgenössischen Ernährungskommission. Schweiz (2005)
44. Karppanen H (1994) An antihypertensive salt: crucial role of Mildred Seelig in its development. *J Am Coll Nutr* 5: 493–495
45. Swales JD (1991) Salt substitutes and potassium intake. *BMJ Clin Res* 6810: 1084–1085
46. Fernstrom JD Health issues relating to monosodium glutamate use in the diet. In: Kilcast D, Angus F (Hg) *Reducing salt in foods. Practical strategies*, Woodhead; CRC Press., Cambridge, Boca Raton, FL (2007)
47. Williams AN, Woessner KM (2009) Monosodium glutamate “allergy”: menace or myth. *Clin Exp Allergy* 39: 640–646
48. Beyreuther K, Biesalski HK, Fernstrom JD et al. (2007) Consensus meeting: monosodium glutamate – an update. *Eur J Clin Nutr* 61: 304–313
49. Halpern BP (2000) Glutamate and the flavor of foods. *J Nutr* 130: 910–914
50. Doyle ME (2008) Sodium reduction and its effects on food safety, food quality, and human health. A brief review of the literature, Madison
51. Selmer RM, Kristiansen IS, Haglerod A et al. (2000) Cost and health consequences of reducing the population intake of salt. *J Epidemiol Community Health* 9: 697–702
52. Murray CJL, Lauer JA, Hutubessy RCW et al. (2003) Effectiveness and costs of interventions to lower systolic blood pressure and cholesterol: a global and regional analysis on reduction of cardiovascular-disease risk. *Lancet* 9359: 717–725
53. Asaria P, Chisholm D, Mathers C et al. (2007) Chronic disease prevention: health effects and financial costs of strategies to reduce salt intake and control tobacco use. *Lancet* 9604: 2044–2053
54. Joffres MR, Campbell NRC, Manns B, Tu K (2007) Estimate of the benefits of a population-based reduction in dietary sodium additives on hypertension and its related health care costs in Canada. *Can J Cardiol* 6: 437–443
55. Whelton PK, Appel LJ, Espeland MA et al. (1998) Sodium reduction and weight loss in the treatment of hypertension in older persons: a randomized controlled trial of nonpharmacologic interventions in the elderly (TONE). TONE Collaborative Research Group. *JAMA* 11: 839–846
56. He FJ, MacGregor GA (2009) A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. *J Hum Hypertens* 23: 363–384
57. He J, Ogden LG, Vupputuri S et al. (1999) Dietary sodium intake and subsequent risk of cardiovascular disease in overweight adults. *JAMA* 21: 2027–2034
58. Sacks FM, Svetkey LP, Vollmer WM et al. (2001) Effects on blood pressure of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. DASH-Sodium Collaborative Research Group. *N Engl J Med* 1: 3–10
59. Tekol Y (2008) Maternal and infantile dietary salt exposure may cause hypertension later in life. *Birth Defects Res B Dev Reprod Toxicol* 2: 77–79
60. Geleijnse JM, Grobbee DE (2002) High salt intake early in life: does it increase the risk of hypertension. *J Hypertens* 11: 2121–2124
61. He FJ, Marrero NM, MacGregor GA (2008) Salt intake is related to soft drink consumption in children and adolescents: a link to obesity. *Hypertension* 3: 629–634
62. Harsha DW, Sacks FM, Obarzanek E et al. (2004) Effect of dietary sodium intake on blood lipids: results from the DASH-sodium trial. *Hypertension* 2: 393–398
63. Kilcast D, Angus F (Hg) *Reducing salt in foods. Practical strategies*, Woodhead; CRC Press., Cambridge, Boca Raton, FL (2007)
64. Cappuccio FP (2007) Salt and cardiovascular disease. *BMJ Clin Res* 7599: 859–860